

# The Journal of Neuroscience

The Official Journal of  
the Society for Neuroscience

February 1993  
Volume 13 Number 2

---

- 413 **Feature Article:** The Function of Dendritic Spines: Devices Subserving Biochemical Rather Than Electrical Computation  
*C. Koch and A. Zador*
- 423 Coordinate Expression of *c-fos* and *jun B* Is Induced in the Rat Striatum by Cocaine  
*R. Moratalla, E.A. Vickers, H.A. Robertson, B.H. Cochran, and A.M. Graybiel*
- 434 Gonadotropin-releasing Hormone-containing Neurons Change Size with Reproductive State in Female *Haplochromis burtoni*  
*S.A. White and R.D. Fernald*
- 442 Three Subtypes of  $\alpha$ -Bungarotoxin-Sensitive Nicotinic Acetylcholine Receptors Are Expressed in Chick Retina  
*K.T. Keyser, L.R.G. Britto, R. Schoepfer, P. Whiting, J. Cooper, W. Conroy, A. Brozowska-Prechci, H.J. Karten, and J. Lindstrom*
- 455 Treatment of the Adult Retina with Microglia-suppressing Factors Retards Axotomy-induced Neuronal Degradation and Enhances Axonal Regeneration *in vivo* and *in vitro*  
*S. Thanos, J. May, and M. Wild*
- 467 Convergent Force Fields Organized in the Frog's Spinal Cord  
*S.F. Giszter, F.A. Mussa-Ivaldi, and E. Bizzi*
- 492 Axonal Regeneration Contributes to Repair of Injured Brainstem-Spinal Neurons in Embryonic Chick  
*S.J. Hasan, H.S. Keirstead, G.D. Muir, and J.D. Steeves*
- 508 Functional Studies of Alzheimer's Disease Tau Protein  
*Q. Lu and J.G. Wood*
- 516 Modulation of N-Type Calcium Channels in Bullfrog Sympathetic Neurons by Luteinizing Hormone-releasing Hormone: Kinetics and Voltage Dependence  
*L.M. Boland and B.P. Bean*
- 534 Connections of Visual Areas of the Upper Temporal Lobe of Owl Monkeys: The MT Crescent and Dorsal and Ventral Subdivisions of FST  
*J.H. Kaas and A. Morel*
- 547 Dystrophin in a Membrane Skeletal Network: Localization and Comparison to Other Proteins  
*G.M. Dmytrenko, D.W. Pumplin, and R.J. Bloch*
- 559 Overexpression of  $\text{Ca}^{2+}$ /Calmodulin-dependent Protein Kinase II in Neuro2a and NG108-15 Neuroblastoma Cell Lines Promotes Neurite Outgrowth and Growth Cone Motility  
*Y. Goshima, S. Ohsako, and T. Yamauchi*

- 568 Examination of TEA-induced Synaptic Enhancement in Area CA1 of the Hippocampus: The Role of Voltage-dependent  $\text{Ca}^{2+}$  Channels in the Induction of LTP  
*Y.-Y. Huang and R.C. Malenka*
- 577 NGF Induces Neonatal Rat Sensory Neurons to Extend Dendrites in Culture after Removal of Satellite Cells  
*P. De Koninck, S. Carbonetto, and E. Cooper*
- 586 A Muscle Cell Variant Defective in Glycosaminoglycan Biosynthesis Forms Nerve-induced but Not Spontaneous Clusters of the Acetylcholine Receptor and the 43 kDa Protein  
*H. Gordon, M. Lupa, D. Bowen, and Z. Hall*
- 596 Molecular Cloning, Functional Properties, and Distribution of Rat Brain  $\alpha_7$ : A Nicotinic Cation Channel Highly Permeable to Calcium  
*P. Séguéla, J. Wadiche, K. Dineley-Miller, J.A. Dani, and J.W. Patrick*
- 605 The Epsilon Subunit Confers Fast Channel Gating on Multiple Classes of Acetylcholine Receptors  
*P. Comacho, Y. Liu, G. Mandel, and P. Brehm*
- 614 Recovery of Frontal Cortex-mediated Visual Behaviors following Neurotrophic Rescue of Axotomized Neurons in Medial Frontal Cortex  
*F. Haun and T.J. Cunningham*
- 623 Intracellular Calcium Levels during the Period of Delayed Excitotoxicity  
*J.M. Dubinsky*
- 632 Confocal Microscopy Reveals Coordinated Calcium Fluctuations and Oscillations in Synaptic Boutons  
*N. Melamed, P.J. Helm, and R. Rahamimoff*
- 650 Evidence for Presynaptic Inhibition of the Olfactory Commissural Pathway by Cholinergic Agonists and Stimulation of the Nucleus of the Diagonal Band  
*W.T. Nickell and M.T. Shipley*
- 660 Modal Gating of  $\text{Na}^+$  Channels as a Mechanism of Persistent  $\text{Na}^+$  Current in Pyramidal Neurons from Rat and Cat Sensorimotor Cortex  
*C. Alzheimer, P.C. Schwindt, and W.E. Crill*
- 674 Inactivation of NMDA Channels in Cultured Hippocampal Neurons by Intracellular Calcium  
*P. Legendre, C. Rosenmund, and G.L. Westbrook*
- 685 Spatiotemporal Responses of Astrocytes, Ramified Microglia, and Brain Macrophages to Central Neuronal Infection with Pseudorabies Virus  
*L. Rinaman, J.P. Card, and L.W. Enquist*
- 703 Hypothalamic Lesions That Induce Female Precocious Puberty Activate Glial Expression of the Epidermal Growth Factor Receptor Gene: Differential Regulation of Alternatively Spliced Transcripts  
*M.-P. Junier, D.F. Hill, M.E. Costa, S. Felder, and S.R. Ojeda*
- 714 Growth Cone Choices of *Drosophila* Motoneurons in Response to Muscle Fiber Mismatch  
*A. Chiba, H. Hing, S. Cash, and H. Keshishian*

- 733 Characterization and Topography of High-Affinity <sup>125</sup>I-Neurotrophin-3 Binding to Mammalian Brain  
*C.A. Altar, M.R. Criden, R.M. Lindsay, and P.S. DiStefano*
- 744 Induction of *c-fos* mRNA by Kindled Seizures: Complex Relationship with Neuronal Burst Firing  
*D.M. Labiner, L.S. Butler, Z. Cao, D.A. Hosford, C. Shin, and J.O. McNamara*
- 752 Independent Guidance of Retinal Axons in the Developing Visual System of *Drosophila*  
*S. Kunes, C. Wilson, and H. Steller*
- 768 Organization of Long-Range Inhibitory Connections within Rat Visual Cortex  
*C.T. McDonald and A. Burkhalter*
- 782 The Striatal Mosaic in Primates: Striosomes and Matrix Are Differentially Enriched in Ionotropic Glutamate Receptor Subunits  
*L.J. Martin, C.D. Blackstone, R.L. Haganir, and D.L. Price*
- 793 Photic Regulation of Peptides Located in the Ventrolateral Subdivision of the Suprachiasmatic Nucleus of the Rat: Daily Variations of Vasoactive Intestinal Polypeptide, Gastrin-releasing Peptide, and Neuropeptide Y  
*K. Shinohara, K. Tominaga, Y. Isobe, and S.-I.T. Inouye*
- 801 Neurogenesis and Differentiation of Sympathetic B and C Cells in the Bullfrog Tadpole  
*W.D. Stofer and J.P. Horn*
- 808 Synaptic Potentials in the Central Terminals of Locust Proprioceptive Afferents Generated by Other Afferents from the Same Sense Organ  
*M. Burrows and G. Laurent*
- 820 Cell Cycle Parameters and Patterns of Nuclear Movement in the Neocortical Proliferative Zone of the Fetal Mouse  
*T. Takahashi, R.S. Nowakowski, and V.S. Caviness, Jr.*
- 834 *In vivo* Observations of Pre- and Postsynaptic Changes during the Transition from Multiple to Single Innervation at Developing Neuromuscular Junctions  
*R.J. Balice-Gordon and J.W. Lichtman*
- 856 Regional Differences in Microtubule Dynamics in the Axon  
*F.J. Ahmad, T.P. Pienkowski, and P.W. Baas*
- 867 Inhibition of Ca<sup>2+</sup> Currents by a  $\mu$ -Opioid in a Defined Subset of Rat Sensory Neurons  
*J.E. Schroeder and E.W. McCleskey*

**Cover picture:** Retinal axon fascicles and glial cells in the developing first optic ganglion, the lamina, of *Drosophila melanogaster*. The axons of retinal photoreceptor cells (stained by Anti-HRP; green fluorescence) and glial cell nuclei (stained by anti- $\beta$ -galactosidase antibody; red fluorescence) are viewed by confocal microscopy. Glial cells express  $\beta$ -galactosidase from the enhancer-trap *lacZ* insertion, 3-109 (kindly provided by C. Goodman; see also Winberg ML, Perez SE, Steller H [1992] Generation and early differentiation of glial cells in the first optic ganglion of *Drosophila melanogaster*. *Development* 115:903–911). See Kunes et al., pp. 752–767.

**Correction regarding mesencephalic dopaminergic cell lines:** It has been brought to our attention that our paper entitled, “A Novel N18TG2 × Mesencephalon Cell Hybrid