

# The Journal of Neuroscience

The Official Journal of  
the Society for Neuroscience

January 15, 2000  
Volume 20 Number 2

Rapid Communications are available online only.

## Rapid Communications (<http://www.jneurosci.org>)

- RC54(1–6) Traveling Slow Waves of Neural Activity: A Novel Form of Network Activity in Developing Neocortex  
*Alejandro Peinado*
- RC55(1–5) Requirement of Endogenous Basic Fibroblast Growth Factor for Sensitization to Amphetamine  
*Cecilia Flores, Anna-Noël Samaha, and Jane Stewart*
- RC56(1–6) Differential Effects of Acetylcholine and Glutamate Blockade on the Spatiotemporal Dynamics of Retinal Waves  
*Evelyne Sernagor, Stephen J. Eglén, and Michael J. O'Donovan*

- i Editorial: New Color Charges for *The Journal of Neuroscience*

## Articles

### Cellular/Molecular

- 511 Ultrafast Inactivation Causes Inward Rectification in a Voltage-Gated K<sup>+</sup> Channel from *Caenorhabditis elegans*  
*Richard Fleischhauer, M. Wayne Davis, Igor Dzhura, Alan Neely, Leon Avery, and Rolf H. Joho*
- 521 The Myristoylated Protein Rapsyn is Cotargeted with the Nicotinic Acetylcholine Receptor to the Postsynaptic Membrane via the Exocytic Pathway  
*Sophie Marchand, Fabrizia Bignami, Françoise Stetzkowski-Marden, and Jean Cartaud*
- 529 A Molecular Link between Inward Rectification and Calcium Permeability of Neuronal Nicotinic Acetylcholine  $\alpha 3\beta 4$  and  $\alpha 4\beta 2$  Receptors  
*Ali Pejmun Haghighi and Ellis Cooper*
- 542 Role of Tissue Plasminogen Activator Receptor LRP in Hippocampal Long-Term Potentiation  
*Min Zhuo, David M. Holtzman, Yonghe Li, Hiroshi Osaka, Joe DeMaro, Mark Jacquin, and Guojun Bu*
- 550 Arachidonic Acid Stimulates a Novel Cocaine-Sensitive Cation Conductance Associated with the Human Dopamine Transporter  
*Susan L. Ingram and Susan G. Amara*
- 558 Inflammatory Mechanisms in Alzheimer's Disease: Inhibition of  $\beta$ -Amyloid-Stimulated Proinflammatory Responses and Neurotoxicity by PPAR $\gamma$  Agonists  
*Colin K. Combs, Derrick E. Johnson, J. Colleen Karlo, Steven B. Cannady, and Gary E. Landreth*
- 568 Synaptic Depression and the Kinetics of Exocytosis in Retinal Bipolar Cells  
*Juan Burrone and Leon Lagnado*
- 579 Kv4.2 mRNA Abundance and A-Type K<sup>+</sup> Current Amplitude Are Linearly Related in Basal Ganglia and Basal Forebrain Neurons  
*Tatiana Tkatch, Gytis Baranauskas, and D. James Surmeier*

- 589 Proteasome Involvement and Accumulation of Ubiquitinated Proteins in Cerebellar Granule Neurons Undergoing Apoptosis  
*Nadia Canu, Christian Barbato, Maria Teresa Ciotti, Annalucia Serafino, Laura Dus, and Pietro Calissano*
- 600 A Novel Human Opsin in the Inner Retina  
*Ignacio Provencio, Ignacio R. Rodriguez, Guisen Jiang, William Pär Hayes, Ernesto F. Moreira, and Mark D. Rollag*
- 606 P2Y Purinoceptors Inhibit Exocytosis in Adrenal Chromaffin Cells via Modulation of Voltage-Operated Calcium Channels  
*Andrew D. Powell, Anja G. Teschemacher, and Elizabeth P. Seward*
- 617 The Transcription Factor DBP Affects Circadian Sleep Consolidation and Rhythmic EEG Activity  
*Paul Franken, Luis Lopez-Molina, Lysiane Marcacci, Ueli Schibler, and Mehdi Tafti*
- 626 Switching Off and On of Synaptic Sites at *Aplysia* Sensorimotor Synapses  
*Sebastien Royer, Rosalind L. Coulson, and Marc Klein*
- 639 Identification and Characterization of proSAAS, a Granin-Like Neuroendocrine Peptide Precursor that Inhibits Prohormone Processing  
*Lloyd D. Fricker, Audra A. McKinzie, Jilin Sun, Eileen Curran, Yimei Qian, Lin Yan, Scott D. Patterson, Paul L. Courchesne, Bill Richards, Nancy Levin, Nino Mzhavia, Lakshmi A. Devi, and James Douglass*
- 649 Novel Mechanism of Massive Photoreceptor Degeneration Caused by Mutations in the *trp* Gene of *Drosophila*  
*Jaeseung Yoon, Hagit Cohen Ben-Ami, Young Seok Hong, Soyeon Park, Lydia L. R. Strong, John Bowman, Chaoxian Geng, Kwanghee Baek, Baruch Minke, and William L. Pak*
- 660 Restricted Expression of G86R Cu/Zn Superoxide Dismutase in Astrocytes Results in Astrocytosis But Does Not Cause Motoneuron Degeneration  
*Yun H. Gong, Alexander S. Parsadarian, Albina Andreeva, William D. Snider, and Jeffrey L. Elliott*
- 666 SNARE Protein-Dependent Glutamate Release from Astrocytes  
*Alfonso Araque, Nianzhen Li, Robert T. Doyle, and Philip G. Haydon*
- 674 Nerve Injury Induces Gap Junctional Coupling among Axotomized Adult Motoneurons  
*Qiang Chang, Alberto Pereda, Martin J. Pinter, and Rita J. Balice-Gordon*
- Developmental**
- 685 Hebbian Mechanisms Revealed by Electrical Stimulation at Developing Rat Neuromuscular Junctions  
*Giuseppe Busetto, Mario Buffelli, Enrico Tognana, Francesco Bellico, and Alberto Cangiano*
- 696 Intermediate Zone Cells Express Calcium-Permeable AMPA Receptors and Establish Close Contact with Growing Axons  
*Christine Métin, Jean-Pierre Denizot, and Nicole Ropert*
- 708 A Highly Conserved Enhancer in the *Dlx5/Dlx6* Intergenic Region is the Site of Cross-Regulatory Interactions between *Dlx* Genes in the Embryonic Forebrain  
*Ted Zerucha, Thorsten Stühmer, Gary Hatch, Byung K. Park, Qiaoming Long, Guoying Yu, Adrianna Gambarotta, Joshua R. Schultz, John L. R. Rubenstein, and Marc Ekker*
- 722 Insulin-Like Growth Factor-I Protects Axotomized Rat Retinal Ganglion Cells from Secondary Death via PI3-K-Dependent Akt Phosphorylation and Inhibition of Caspase-3 *In Vivo*  
*Pawel Kermer, Nikolaj Klöcker, Monika Labes, and Mathias Bähr*
- 729 Immune Deficiency in Mouse Models for Inherited Peripheral Neuropathies Leads to Improved Myelin Maintenance  
*Christoph D. Schmid, Martina Stienekemeier, Stephan Oehen, Frank Bootz, Jürgen Zielasek, Ralf Gold, Klaus V. Toyka, Melitta Schachner, and Rudolf Martini*

- 736 Expression of Neurotrophin-3 (NT-3) and Anterograde Axonal Transport of Endogenous NT-3 by Retinal Ganglion Cells in Chick Embryos  
*Christopher S. von Bartheld and Rafal Butowt*
- Behavioral/Systems***
- 749 Odors Elicit Three Different Oscillations in the Turtle Olfactory Bulb  
*Ying-Wan Lam, Lawrence B. Cohen, Matt Wachowiak, and Michal R. Zochowski*
- 763 Cyclooxygenase-2 Contributes to Functional Hyperemia in Whisker-Barrel Cortex  
*Kiyoshi Niwa, Eiichi Araki, Scott G. Morham, M. Elizabeth Ross, and Costantino Iadecola*
- 771 BDNF Promotes the Regenerative Sprouting, But Not Survival, of Injured Serotonergic Axons in the Adult Rat Brain  
*Laura A. Mamounas, C. Anthony Altar, Mary E. Blue, David R. Kaplan, Lino Tessarollo, and W. Ernest Lyons*
- 783 The M1 Muscarinic Agonist CI-1017 Facilitates Trace Eyeblink Conditioning in Aging Rabbits and Increases the Excitability of CA1 Pyramidal Neurons  
*Craig Weiss, Alison R. Preston, M. Matthew Oh, Roy D. Schwarz, Devin Welty, and John F. Disterhoft*
- 791 Aging Affects Hemispheric Asymmetry in the Neural Representation of Speech Sounds  
*Teri James Bellis, Trent Nicol, and Nina Kraus*
- 798 Fos Protein Expression and Cocaine-Seeking Behavior in Rats after Exposure to a Cocaine Self-Administration Environment  
*Janet L. Neisewander, David A. Baker, Rita A. Fuchs, Ly T. L. Tran-Nguyen, Art Palmer, and John F. Marshall*
- 806 GABA<sub>C</sub> Receptors Control Adaptive Changes in a Glycinergic Inhibitory Pathway in Salamander Retina  
*Paul B. Cook, Peter D. Lukasiewicz, and John S. McReynolds*
- 813 Developmental Changes in Eye-Blink Conditioning and Neuronal Activity in the Cerebellar Interpositus Nucleus  
*John H. Freeman Jr and Daniel A. Nicholson*
- 820 Relationship of Activity in the Subthalamic Nucleus–Globus Pallidus Network to Cortical Electroencephalogram  
*Peter J. Magill, J. Paul Bolam, and Mark D. Bevan*
- 834 Nerve Growth Factor (NGF) Augments Cortical and Hippocampal Cholinergic Functioning after p75<sup>NGF</sup> Receptor-Mediated Deafferentation But Impairs Inhibitory Avoidance and Induces Fear-Related Behaviors  
*Jürgen Winkler, Gilbert A. Ramirez, Leon J. Thal, and Jerene J. Waite*
- 845 Comparison of the Laminar Distribution of Input from Areas 17 and 18 of the Visual Cortex to the Lateral Geniculate Nucleus of the Cat  
*P. C. Murphy, S. G. Duckett, and A. M. Sillito*
- 854 Breeding Conditions Induce Rapid and Sequential Growth in Adult Avian Song Control Circuits: A Model of Seasonal Plasticity in the Brain  
*Anthony D. Tramontin, Vesta N. Hartman, and Eliot A. Brenowitz*
- 862 Abnormal Auditory Experience Induces Frequency-Specific Adjustments in Unit Tuning for Binaural Localization Cues in the Optic Tectum of Juvenile Owls  
*Joshua I. Gold and Eric I. Knudsen*
- 878 Neural Systems Underlying the Recognition of Familiar and Newly Learned Faces  
*Catherine L. Leveroni, Michael Seidenberg, Andrew R. Mayer, Larissa A. Mead, Jeffrey R. Binder, and Stephen M. Rao*
- 887 **Correction:** In the article “Cannabinoids Enhance NMDA-Elicited Ca<sup>2+</sup> Signals in Cerebellar Granule Neurons in Culture,” by J. G. Netzeband, S. M. Conroy, K. L. Parsons, and D. L. Gruol, which appeared on pages 8765–8777 of the October 15, 1999 issue, a print-quality version of Figure 5 was not used for reproduction. The figure is reprinted.

**Cover picture:** Retention of polyneuronal innervation in muscle fibers whose newly formed motoneuronal inputs have been kept synchronously active for ~2 weeks *in vivo*. *Bottom*, Cross section of an adult rat soleus muscle reinnervated in an ectopic region by a transplanted foreign nerve, showing myofibers in *red* and foreign axons in *green* pseudocolors, after visualization with immunofluorescence (myofibers, primary anti-dystrophin, secondary TRITC-conjugated antibodies; axons, primary anti-neurofilament, secondary FITC-conjugated antibodies). *Top left*, Muscle steps of the endplate potential evoked by graded electrical stimulation of the muscle nerve by *in vitro* intracellular recording from a superficial myofiber under curare, indicating polyneuronal innervation. Note that the fibers close to the foreign nerve implant are bigger than the more distant ones, the latter being not yet reinnervated. In control preparations (data not shown), whose axons are asynchronously active, elimination of polyneuronal innervation has already taken place at this developmental stage. For details, see the article by Busetto et al., in this issue (pages 685–695).

Persons interested in becoming members of the Society for Neuroscience should contact the Membership Department, Society for Neuroscience, 11 Dupont Circle, NW, Suite 500, Washington, DC 20036, phone 202-462-6688.

Instructions for Authors appear at the end of this issue. Copies of the Instructions can be obtained by writing to *The Journal of Neuroscience*, Society for Neuroscience, 11 Dupont Circle, NW, Suite 500, Washington, DC 20036, phone 202-462-6688, fax 202-462-1547, e-mail [jn@sfn.org](mailto:jn@sfn.org). The Instructions are also available via Internet (<http://www.jneurosci.org/misc/itoa.shtml>). *Rapid Communications* Instructions for Authors appear at the end of the January 15, 1999 issue and are also available via Internet (<http://www.sfn.org/RapidComm/ifa.html>). Submissions should be sent to the above address. Scientific inquiries concerning manuscripts can be made directly to Dr. Gordon M. Shepherd, Editor-in-Chief, *The Journal of Neuroscience*, Section of Neurobiology, Yale University School of Medicine, 333 Cedar Street, New Haven, CT 06510, phone 203-785-4336, fax 203-785-6990, e-mail [jneurosci@yale.edu](mailto:jneurosci@yale.edu).

*The Journal of Neuroscience* requests that authors send a disk containing an electronic file of their manuscript with each submission. Most word processing software can be used; see the Instructions for Authors for detailed guidelines on acceptable disk and file formats.