The Journal of Neuroscience

January 26, 2011 • Volume 31 Number 4 • www.jneurosci.org



Cover legend: Cortical maturation in a 14-week-old infant as revealed by a maturation index computed from a normalized T2-weighted magnetic resonance image and projected onto a three-dimensional mesh of the gray–white matter cortical interface. The scale goes from dark blue to yellow-red as maturation increases. On this image, which is centered on the posterior sylvian scissure, the early maturation of primary cortices in the central region and Heschl's gyrus stands in contrast to the immature middle temporal gyrus. For more information, see the article by Leroy et al. in this issue (pages 1500–1506).

Persons interested in becoming members of the Society for Neuroscience should contact the Membership Department, Society for Neuroscience, 1121 14th St., NW, Suite 1010, Washington, DC 20005, phone 202-962-4000.

Instructions for Authors are available at http://www.jneurosci.org/misc/itoa.shtml. Authors should refer to these Instructions online for recent changes that are made periodically.

Brief Communications Instructions for Authors are available via Internet (http://www.jneurosci.org/misc/ifa_bc.shtml).

Submissions should be submitted online using the following url: http://jneurosci.msubmit.net. Please contact the Central Office, via phone, fax, or e-mail with any questions. Our contact information is as follows: phone, 202-962-4000; fax, 202-962-4945; e-mail, jn@sfn.org.