## Journal of Neuroscience

The Official Journal of the Society for Neuroscience

February 15, 1996 Volume 16 Number 4

Articles are grouped according to the section to which they were submitted and are presented in the following sequence: Molecular, Cellular, Developmental, Systems, and Behavioral Neuroscience.

1285	Antagonists of Cyclic Nucleotide-Gated Channels and Molecular Mapping of their Site of Action Richard H. Kramer and Gareth R. Tibbs
1294	Sequential Expression of Trks A, B, and C in the Regenerating Olfactory Neuroepithelium A. Jane I. Roskams, M. Angelyn Bethel, K. Joseph Hurt, and Gabriele V. Ronnett
1308	Potent Human p140-TrkA Agonists Derived from an Anti-Receptor Monoclonal Antibody Lynne LeSauteur, Sergei Maliartchouk, Hélène Le Jeune, Remi Quirion, and H. Uri Saragovi
1317	$G_i$ -Mediated Stimulation of Type II Adenylyl Cyclase Is Augmented by $G_q$ -Coupled Receptor Activation and Phorbol Ester Treatment Rachel C. Tsu and Yung H. Wong
1324	Superoxide Production in Rat Hippocampal Neurons: Selective Imaging with Hydroethidine Vytautas P. Bindokas, Joaquín Jordán, Chong C. Lee, and Richard J. Miller
1337	Loss of the p53 Tumor Suppressor Gene Protects Neurons from Kainate-Induced Cell Death Richard S. Morrison, H. Jurgen Wenzel, Yoshito Kinoshita, Carol A. Robbins, Larry A. Donehower, and Philip A. Schwartzkroin
1346	Localization and Active Transport of mRNA in Axons of Sympathetic Neurons in Culture Marguerite Olink-Coux and Peter J. Hollenbeck
1359	Calcium Dependence of Large Dense-Cored Vesicle Exocytosis Evoked by Calcium Influx in Bovine Adrenal Chromaffin Cells Kathrin L. Engisch and Martha C. Nowycky
1370	Ba <sup>2+</sup> Ions Evoke Two Kinetically Distinct Patterns of Exocytosis in Chromaffin Cells, but Not in Neurohypophysial Nerve Terminals <i>Elizabeth P. Seward, Natalya I. Chernevskaya, and Martha C. Nowycky</i>
1380	PSD-95 Is Associated with the Postsynaptic Density and Not with the Presynaptic Membrane at Forebrain Synapses Carol A. Hunt, Leslie J. Schenker, and Mary B. Kennedy
1389	Nitric Oxide and Carbon Monoxide Activate Locus Coeruleus Neurons through a

cGMP-Dependent Protein Kinase: Involvement of a Nonselective Cationic Channel

Joseba Pineda, Jeffrey H. Kogan, and George K. Aghajanian

1400	Cortical Plaque-Like Structures Identify Ribosome-Containing Domains in the Mauthner Cell Axon  Edward Koenig and Rainer Martin
1412	Xenopus Spinal Neurons Express Kv2 Potassium Channel Transcripts during Embryonic Development Corinna Burger and Angeles B. Ribera
1422	Neuropeptide Y <sub>1</sub> Receptors Inhibit N-Type Calcium Currents and Reduce Transient Calcium Increases in Rat Dentate Granule Cells  A. Rory McQuiston, Jeffrey J. Petrozzino, John A. Connor, and William F. Colmers
1430	Development of the Pattern of Photoreceptors in the Chick Retina Suzanne L. Bruhn and Constance L. Cepko
1440	Glutamate Receptors Mediate Dynamic Regulation of Nitric Oxide Synthase Expression in Cerebellar Granule Cells Stephan L. Baader and Karl Schilling
1450	Dynamics of Target Recognition by Interstitial Axon Branching along Developing Cortical Axons  Martin Bastmeyer and Dennis D. M. O'Leary
1460	NMDA Receptor Activation-Responsive Phosphoproteins in the Developing Optic Tectum Alfred J. Scheetz and Martha Constantine-Paton
1470	Association of β1 Integrin with Phosphotyrosine in Growth Cone Filopodia Da-Yu Wu, Li-Chong Wang, Carol A. Mason, and Daniel J. Goldberg
1479	Opioid Desensitization: Interactions with G-Protein-Coupled Receptors in the Locus Coeruleus  Christopher D. Fiorillo and John T. Williams
1486	A Computational Analysis of the Relationship between Neuronal and Behavioral Responses to Visual Motion  Michael N. Shadlen, Kenneth H. Britten, William T. Newsome, and J. Anthony Movshon
1511	Defects in Courtship and Vision Caused by Amino Acid Substitutions in a Putative RNA-Binding Protein Encoded by the no-on-transient A (nonA) Gene of Drosophila Katherine G. Rendahl, Natasha Gaukhshteyn, David A. Wheeler, Thomas A. Fry, and Jeffrey C. Hall
1523	Histaminergic Descending Inputs to the Mesopontine Tegmentum and their Role in the Control of Cortical Activation and Wakefulness in the Cat Jian-Sheng Lin, Yiping Hou, Kazuya Sakai, and Michel Jouvet
1538	Context-Specific Multi-Site Cingulate Cortical, Limbic Thalamic, and Hippocampal Neuronal Activity during Concurrent Discriminative Approach and Avoidance Training in Rabbits John H. Freeman, Jr., Cyndi Cuppernell, Karen Flannery, and Michael Gabriel
1550	Repeated Cocaine Augments Excitatory Amino Acid Transmission in the Nucleus Accumbens Only in Rats Having Developed Behavioral Sensitization  R. Christopher Pierce, Ken Bell, Patricia Duffy, and Peter W. Kalivas

- Behavioral Effects Mediated by the Modulatory Glycine Site of the NMDA Receptor in the Anterodorsal Striatum and Nucleus Accumbens

  Beate D. Kretschmer and Werner J. Schmidt
- 1570 Coarticulation of Jaw Movements in Speech Production: Is Context Sensitivity in Speech Kinematics Centrally Planned?

  David J. Ostry, Paul L. Gribble, and Vincent L. Gracco

Cover picture: Stereo-image random-dot stereogram of rat hippocampal slice stained with hydroethidine, a dye that yields red fluorescent ethidium after oxidation by superoxide radicals. Hydroethidine can report cells that generate superoxide as well as the intracellular loci of superoxide generation (see the article by Bindokas et al. in this issue, pp. 1324–1336). Slice was treated with  $100~\mu M$  kainic acid to increase superoxide production. The pyramidal neuron soma layer shows intense staining (red or yellow in the false-colored, repeated image in the foreground pattern).

A stereoscopic version of the slice appears when staring at the image. The stereogram provides a novel method of presenting stereoscopic surfaces where intensity is converted to higher surfaces. The image more effectively illustrates weak differences in staining intensity, evident as differences in the height of the peaks along the pyramidal cell layer.

To view the stereogram, begin by holding the image near your nose and staring beyond the page. Slowly bring the page about a half meter from your eyes while continuing to stare beyond the page. When you feel your eyes detecting slightly different sensations, allow the image to develop. If you focus your eyes, the image will disappear. Once "seen," note the outline of the hippocampus and the ridge corresponding to the intensely stained pyramidal cell layer.

Erratum: The drawing of the phase-comparison circuit featured on the cover of the January 1, 1996 issue was inadvertently rotated 90% clockwise during production. This drawing by Kawasaki and Guo was intended by the authors to be viewed horizontally—for the best view, this picture should be rotated 90° counterclockwise.

Persons interested in becoming members of the Society for Neuroscience should contact the Membership Department, Society for Neuroscience, 11 Dupont Circle, NW, Suite 500, Washington, DC 20036, phone 202-462-6688.

Instructions for Authors appear at the end of the January 1, 1996 issue. Copies of the Instructions can be obtained by writing to Diane M. Sullenberger, Director of Publications, *The Journal of Neuroscience*, Society for Neuroscience, 11 Dupont Circle, NW, Suite 500, Washington, DC 20036, phone 202-462-6688, fax 202-462-1547, e-mail jn@sfn.org. The Instructions are also available via Internet (//www.sfn.org/) and the Society's Gopher server (Host: gopher.sfn.org. Port: 70.). Submissions should be sent to the above address. Scientific inquiries concerning manuscripts can be made directly to Dr. David C. Van Essen, Editor-in-Chief, *The Journal of Neuroscience*, Box 8108, Washington University School of Medicine, 660 South Euclid Avenue, St. Louis, MO 63110, phone 314-362-2721, fax 314-362-2734, e-mail JNEUROSCI@THALAMUS.WUSTL.EDU.

The Journal of Neuroscience requests that authors send a disk containing an electronic file of their manuscript with each submission. Most word processing software can be used; see the Instructions for Authors for detailed guidelines on acceptable disk and file formats.