

# The Journal of Neuroscience

The Official Journal of  
the Society for Neuroscience

March 1992  
Volume 12 Number 3

---

- 691 A Neural-Specific GAP-43 Core Promoter Located between Unusual DNA Elements that Interact to Regulate Its Activity  
*E. Nedivi, G.S. Basi, I.V. Akey, and J.H.P. Skene*
- 705 A Unique Kex2-like Endoprotease from *Drosophila melanogaster* Is Expressed in the Central Nervous System during Early Embryogenesis  
*J.S. Hayflick, W.J. Wolfgang, M.A. Forte, and G. Thomas*
- 718 Distribution of Calbindin D28k-like Immunoreactivity (LI) in the Monkey Ventral Horn: Do Renshaw Cells Contain Calbindin D28k-LI?  
*U. Arvidsson, B. Ulfhake, S. Cullheim, V. Ramírez, O. Shupliakov, and T. Hökfelt*
- 729 Behavioral Analysis of Internal Memory States Using Cooling-induced Retrograde Amnesia in *Limax flavus*  
*A. Yamada, T. Sekiguchi, H. Suzuki, and A. Mizukami*
- 736 Expression of Tenascin in the Developing and Adult Cerebellar Cortex  
*S. Bartsch, U. Bartsch, U. Dörries, A. Faissner, A. Weller, P. Ekblom, and M. Schachner*
- 750 An Actin-associated Protein Present in the Microtubule Organizing Center and the Growth Cones of PC-12 Cells  
*E.L. Bearer*
- 762 Demonstration of Local Protein Synthesis within Dendrites Using a New Cell Culture System That Permits the Isolation of Living Axons and Dendrites from Their Cell Bodies  
*E.R. Torre and O. Steward*
- 773 Effects of Excitotoxin Exposure on Metabolic Rate of Primary Hippocampal Cultures: Application of Silicon Microphysiometry to Neurobiology  
*K.M. Raley-Susman, K.R. Miller, J.C. Owicki, and R.M. Sapolsky*
- 781  $\beta$ -Adrenergic Receptors: Astrocytic Localization in the Adult Visual Cortex and Their Relation to Catecholamine Axon Terminals as Revealed by Electron Microscopic Immunocytochemistry  
*C. Aoki*
- 793 Acetylcholine Synthesis and Release Is Enhanced by Dibutyryl Cyclic AMP in a Neuronal Cell Line Derived from Mouse Septum  
*J.K. Blusztajn, A. Venturini, D.A. Jackson, H.J. Lee, and B.H. Wainer*
- 800 Cholinergic Inhibition of Short (Outer) Hair Cells of the Chick's Cochlea  
*P.A. Fuchs and B.W. Murrow*
- 810 Proctolin Activates an Inward Current Whose Voltage Dependence Is Modified by Extracellular  $\text{Ca}^{2+}$   
*J. Golowasch and E. Marder*

- 818 Neurite Growth on Different Substrates: Permissive versus Instructive Influences and the Role of Adhesive Strength  
*V. Lemmon, S.M. Burden, H.R. Payne, G.J. Elmslie, and M.L. Hlavin*
- 827 Responses of Human Mechanoreceptive Afferents to Embossed Dot Arrays Scanned across Fingerpad Skin  
*J.R. Phillips, R.S. Johansson, and K.O. Johnson*
- 840 Energy Metabolism of Rabbit Retina as Related to Function: High Cost of Na<sup>+</sup> Transport  
*A. Ames III, Y.-y. Li, E.C. Heher, and C. Rising Kimble*
- 854 Extinction of Fear-potentiated Startle: Blockade by Infusion of an NMDA Antagonist into the Amygdala  
*W.A. Falls, M.J.D. Miserendino, and M. Davis*
- 864 Demonstration of Coexisting Catecholamine (Dopamine), Amino Acid (GABA), and Peptide (NPY) Involved in Inhibition of Melanotrope Cell Activity in *Xenopus laevis*: A Quantitative Ultrastructural, Freeze-Substitution Immunocytochemical Study  
*E.P.C.T. de Rijk, F.J.C. van Strien, and E.W. Roubos*
- 872 The Embryonic Form of Neural Cell Surface Molecule (E-NCAM) in the Rat Hippocampus and Its Reexpression on Glial Cells Following Kainic Acid-induced Status Epilepticus  
*G. Le Gal La Salle, G. Rougon, and A. Valin*
- 883 Enhanced Responses of Spinothalamic Tract Neurons to Excitatory Amino Acids Accompany Capsaicin-induced Sensitization in the Monkey  
*P.M. Dougherty and W.D. Willis*
- 895 Alternative Splicing of Micro-Exons Creates Multiple Forms of the Insect Cell Adhesion Molecule Fasciclin I  
*L. McAllister, E.J. Rehm, C.S. Goodman, and K. Zinn*
- 906 Pharmacological Discrimination of N-Type from L-Type Calcium Current and Its Selective Modulation by Transmitters  
*D.H. Cox and K. Dunlap*
- 915 Calcium/Calmodulin-activated Phosphodiesterase Expressed in Olfactory Receptor Neurons  
*F.F. Borisy, G.V. Ronnett, A.M. Cunningham, D. Juilfs, J. Beavo, and S.H. Snyder*
- 924 Increased GABA<sub>A</sub> Receptor Binding in Superficial Layers of Cingulate Cortex in Schizophrenics  
*F.M. Benes, S.L. Vincent, G. Alsterberg, E.D. Bird, and J.P. SanGiovanni*
- 930 Spatiotemporal Patterns of Expression of NGF and Low-Affinity NGF Receptor in Rat Embryos Suggest Functional Roles in Tissue Morphogenesis and Myogenesis  
*E.F. Wheeler and M. Bothwell*
- 946 Distribution and Characterization of Different Molecular Products of Pro-somatostatin in the Hypothalamus and Posterior Pituitary Lobe of the Mongolian Gerbil (*Meriones unguiculatus*)  
*P.J. Larsen, M. Bersani, J.J. Holst, M. Møller, and J.D. Mikkelsen*
- 962 Aberrant Projection Induced by Otocyst Removal Maintains Normal Tonotopic Organization in the Chick Cochlear Nucleus  
*W.R. Lippe, D.S. Fuhrmann, W. Yang, and E.W. Rubel*

- 970 Pentamidine Is an *N*-methyl-D-aspartate Receptor Antagonist and Is Neuroprotective *in vitro*  
*I.J. Reynolds and E. Aizenman*
- 976 Vital Imaging of Glomeruli in the Mouse Olfactory Bulb  
*A.-S. LaMantia, S.L. Pomeroy, and D. Purves*
- 989 Three Types of Early Transient Potassium Currents in *Aplysia* Neurons  
*Y. Furukawa, E.R. Kandel, and P. Pfaffinger*
- 1001 Rapid and Reversible Astrocytic Reaction to Afferent Activity Blockade in Chick Cochlear Nucleus  
*K.S. Canady and E.W. Rubel*
- 1010 Molecular Cloning and Developmental Analysis of a New Glutamate Receptor Subunit Isoform in Cerebellum  
*V. Gallo, L.M. Upson, W.P. Hayes, L. Vyklicky, Jr., C.A. Winters, and A. Buonanno*
- 1024 Oxytocin and Vasopressin Release in Discrete Brain Areas after Naloxone in Morphine-tolerant and -dependent Anesthetized Rats: Push-Pull Perfusion Study  
*J.A. Russell, I. Neumann, and R. Landgraf*
- 1033 Cell-specific Alternative RNA Splicing of an FMR1 Gene Transcript in the Brain  
*S.E. Saunders, E. Kellett, K. Bright, P.R. Benjamin, and J.F. Burke*
- 1040 The Distribution of 13 GABA<sub>A</sub> Receptor Subunit mRNAs in the Rat Brain. I. Telencephalon, Diencephalon, Mesencephalon  
*W. Wisden, D.J. Laurie, H. Monyer, and P.H. Seeburg*
- 1063 The Distribution of 13 GABA<sub>A</sub> Receptor Subunit mRNAs in the Rat Brain. II. Olfactory Bulb and Cerebellum  
*D.J. Laurie, P.H. Seeburg, and W. Wisden*
- 1077 Pharmacological Characterization of Endothelin-stimulated Phosphoinositide Breakdown and Cytosolic Free Ca<sup>2+</sup> Rise in Rat C<sub>6</sub> Glioma Cells  
*W.-W. Lin, J.G. Kiang, and D.-M. Chuang*
- 1086 Neuropeptide Y Selectively Inhibits Slow Synaptic Potentials in Rat Dorsal Raphe Nucleus *in vitro* by a Presynaptic Action  
*S.B. Kombian and W.F. Colmers*
- 1094 Cyclic AMP-dependent Phosphorylation of the Rat Brain Ryanodine Receptor  
*A. Yoshida, A. Ogura, T. Imagawa, M. Shigekawa, and M. Takahashi*
- 1101 *In situ* Histochemical Localization of Type I Interleukin-1 Receptor Messenger RNA in the Central Nervous System, Pituitary, and Adrenal Gland of the Mouse  
*E.T. Cunningham, Jr., E. Wada, D.B. Carter, D.E. Tracey, J.F. Battey, and E.B. De Souza*
- 1115 The Development of ACh- and GABA-activated Currents in Embryonic Chick Ciliary Ganglion Neurons in the Absence of Innervation *in vivo*  
*K.L. Engisch and G.D. Fischbach*

**Cover picture:** Darkfield view showing the distribution of rat cerebellar cells that express mRNA encoding glutamate receptor GluR-4 after *in situ* hybridization histochemistry using a radiolabeled oligonucleotide probe and emulsion autoradiography. The pattern of

silver grain labeling shows that GluR-4 transcripts are abundantly expressed in granule cells counterstained blue by methyl green, but absent in pial or white matter astroglia. In contrast, intense discontinuous labeling in the Purkinje layer showed that Bergmann glia, but not Purkinje cells, express GluR-4. Similar studies done on developing cerebella showed that granule cells already transcribe this receptor gene in the premigratory zone of the external granular layer, indicating that intrinsic or highly localized cues underlie the establishment of this expression pattern. See Gallo et al., pp. 1010–1023.

**Erratum:** The authors of “The Neurotrophic Effects of Fibroblast Growth Factors on Dopaminergic Neurons *in vitro* Are Mediated by Mesencephalic Glia” (J. Engele and M.C. Bohn, *J Neurosci* 11:3070–3078) wish to correct an error in that paper. Treatment of mesencephalic cultures with aFGF or bFGF does not increase the survival of tyrosine hydroxylase-immunoreactive neurons by 190–210%, as reported in line 16 of the abstract, but by 90–110%. The authors regret this error.

Persons interested in becoming members of the Society for Neuroscience should address inquiries to the Society for Neuroscience, Suite 500, 11 Dupont Circle, N.W., Washington, D.C. 20036; (202) 462-6688.

Instructions to Authors appear in the January issue only. Copies of the Instructions can be obtained by writing *The Journal of Neuroscience*, Department of Neurobiology, Box 3209, 101G Bryan Building, Research Drive, Duke University Medical Center, Durham, NC 27710. Submissions should be sent to Dr. Dale Purves, editor-in-chief, at the same address. Inquiries concerning manuscripts can be made directly to Dianitia Hutcheson, managing editor, at the offices of the *Journal* (919-684-3084; FAX 919-684-8573; Bitnet JNS@NEURO.DUKE.EDU).

*The Journal of Neuroscience* is pleased to announce that authors now may send a disk containing an electronic file of their manuscript once the paper is provisionally accepted. See the Instructions to Authors in the January 1992 issue for detailed guidelines on acceptable disk and file formats.