

# The Journal of Neuroscience

The Official Journal of  
the Society for Neuroscience

April 1995  
Volume 15 Number 4

---

- 2575 Developmental Kinetics of GAD Family mRNAs Parallel Neurogenesis in the Rat Spinal Cord  
*R. Somogyi, X. Wen, W. Ma, and J.L. Barker*
- 2592 Inositol 1,4,5-Trisphosphate and Ryanodine Receptor Distributions and Patterns of Acetylcholine- and Caffeine-Induced Calcium Release in Cultured Mouse Hippocampal Neurons  
*K.J. Seymour-Laurent and M.E. Barish*
- 2609 Functional Identification of Central Afferent Projections Conveying Information of Acute "Stress" to the Hypothalamic Paraventricular Nucleus  
*P.J. Larsen and J.D. Mikkelsen*
- 2628 Axonal Activation-Induced Calcium Transients in Myelinating Schwann Cells, Sources, and Mechanisms  
*V. Lev-Ram and M.H. Ellisman*
- 2638 Physiological Subgroups of Nonpyramidal Cells with Specific Morphological Characteristics in Layer II/III of Rat Frontal Cortex  
*Y. Kawaguchi*
- 2656 Neurotrophin-4/5 (NT-4/5) and Brain-Derived Neurotrophic Factor (BDNF) Act at Later Stages of Cerebellar Granule Cell Differentiation  
*W.-Q. Gao, J.L. Zheng, and M. Karihaloo*
- 2668 Multiple GABA Receptor Subtypes Mediate Inhibition of Calcium Influx at Rat Retinal Bipolar Cell Terminals  
*Z.-H. Pan and S.A. Lipton*
- 2680 Immune Challenge and Immobilization Stress Induce Transcription of the Gene Encoding the CRF Receptor in Selective Nuclei of the Rat Hypothalamus  
*S. Rivest, N. Laflamme, and R.E. Nappi*
- 2696 Cholinergic Regulation of  $[Ca^{2+}]_i$  during Cell Division and Differentiation in the Mammalian Retina  
*R.O.L. Wong*
- 2707 Distribution of the Excitatory Amino Acid Receptor Subunits GluR2(4) in Monkey Hippocampus and Colocalization with Subunits GluR5-7 and NMDAR1  
*S.J. Siegel, W.G. Janssen, J.W. Tullai, S.W. Rogers, T. Moran, S.F. Heinemann, and J.H. Morrison*
- 2720 GABA<sub>A</sub>/Benzodiazepine Receptors in Acutely Isolated Hippocampal Astrocytes  
*D.D. Fraser, S. Duffy, K.J. Angelides, J.L. Perez-Velazquez, H. Kettenmann, and B.A. MacVicar*

- 2733 Complementary Distribution of Receptors for Neurotensin and NPY in Small Neurons in Rat Lumbar DRGs and Regulation of the Receptors and Peptides after Peripheral Axotomy  
*X. Zhang, Z.-Q. Xu, L. Bao, Å. Dagerlind, and T. Hökfelt*
- 2748 Magnetic and Electric Brain Activity Evoked by the Processing of Tone and Vowel Stimuli  
*C. Eulitz, E. Diesch, C. Pantev, S. Hampson, and T. Elbert*
- 2756 Increased Collateral Sprouting of Primary Afferents in the Myelin-Free Spinal Cord  
*G. Schwegler, M.E. Schwab, and J.P. Kapfhammer*
- 2768 Cyclooxygenase Inhibition and the Spinal Release of Prostaglandin E<sub>2</sub> and Amino Acids Evoked by Paw Formalin Injection: A Microdialysis Study in Unanesthetized Rats  
*A.B. Malmberg and T.L. Yaksh*
- 2777 IPSPs Strongly Inhibit Climbing Fiber-Activated [Ca<sup>2+</sup>]<sub>i</sub> Increases in the Dendrites of Cerebellar Purkinje Neurons  
*J.C. Callaway, N. Lasser-Ross, and W.N. Ross*
- 2788 Synaptic NMDA Receptor Channels Have a Low Open Probability  
*C. Rosenmund, A. Feltz, and G.L. Westbrook*
- 2796 Development of Memory and the Hippocampus: Comparison of Food-Storing and Nonstoring Birds on a One-Trial Associative Memory Task  
*N.S. Clayton*
- 2808 A Critical Band Filter in Touch  
*J.C. Makous, R.M. Friedman, and C.J. Vierck, Jr.*
- 2819 Somatic Gene Transfer of NGF to the Aged Brain: Behavioral and Morphological Amelioration  
*K.S. Chen and F.H. Gage*
- 2826 Spontaneous Quantal Transmitter Secretion from Myocytes and Fibroblasts: Comparison with Neuronal Secretion  
*R. Girod, S. Popov, J. Alder, J.Q. Zheng, A. Lohof, and M.-m. Poo*
- 2839 Pharmacological Types of Calcium Channels and Their Modulation by Baclofen in Cerebellar Granules  
*C. Amico, C. Marchetti, M. Nobile, and C. Usai*
- 2849 Neurexins Are Differentially Expressed in the Embryonic Nervous System of Mice  
*A.W. Püschel and H. Betz*
- 2857 N-Acetylcysteine (D- and L-Stereoisomers) Prevents Apoptotic Death of Neuronal Cells  
*G. Ferrari, C.Y.I. Yan, and L.A. Greene*
- 2867 Overexpression of Potassium Channel RNA: *In vivo* Development Rescues Neurons from Suppression of Morphological Differentiation *in vitro*  
*S.M. Jones, A.D. Hofmann, J.L. Lieber, and A.B. Ribera*
- 2875 Temporal Relations of the Complex Spike Activity of Purkinje Cell Pairs in the Vestibulocerebellum of Rabbits  
*D.R. Wylie, C.I. De Zeeuw, and J.I. Simpson*

- 2888 Regulation of TrkA and ChAT Expression in Developing Rat Basal Forebrain: Evidence That Both Exogenous and Endogenous NGF Regulate Differentiation of Cholinergic Neurons  
*Y. Li, D.M. Holtzman, L.F. Kromer, D.R. Kaplan, J. Chua-Couzens, D.O. Clary, B. Knüsel, and W.C. Mobley*
- 2906 Cellular Localization of Thrombin Receptor mRNA in Rat Brain: Expression by Mesencephalic Dopaminergic Neurons and Codistribution with Prothrombin mRNA  
*J.R. Weinstein, S.J. Gold, D.D. Cunningham, and C.M. Gall*
- 2920 Effect of Bacterial Endotoxin and Interleukin-1 $\beta$  on Hippocampal Serotonergic Neurotransmission, Behavioral Activity, and Free Corticosterone Levels: An *in vivo* Microdialysis Study  
*A.C.E. Linthorst, C. Flachskamm, P. Müller-Preuss, F. Holsboer, and J.M.H.M. Reul*
- 2935 The First Retinal Axons and Their Microenvironment in Zebrafish: Cryptic Pioneers and the Pretract  
*J.D. Burrill and S.S. Easter, Jr.*
- 2948 Relative Densities of Synaptic and Extrasynaptic GABA<sub>A</sub> Receptors on Cerebellar Granule Cells As Determined by a Quantitative Immunogold Method  
*Z. Nusser, J.D.B. Roberts, A. Baude, J.G. Richards, and P. Somogyi*
- 2961 ATP Causes Release of Intracellular Ca<sup>2+</sup> via the Phospholipase C $\beta$ /IP<sub>3</sub> Pathway in Astrocytes from the Dorsal Spinal Cord  
*M.W. Salter and J.L. Hicks*
- 2972 Anterograde Tracing of Trigeminal Afferent Pathways from the Murine Tooth Pulp to Cortex Using Herpes Simplex Virus Type 1  
*E.M. Barnett, G.D. Evans, N. Sun, S. Perlman, and M.D. Cassell*
- 2985 Neuronal Regeneration Enhances the Expression of the Immunophilin FKBP-12  
*W.E. Lyons, J.P. Steiner, S.H. Snyder, and T.M. Dawson*
- 2995 Pharmacological Dissection of Multiple Types of Ca<sup>2+</sup> Channel Currents in Rat Cerebellar Granule Neurons  
*A. Randall and R.W. Tsien*
- 3013 Replacement of Hair Cells after Laser Microbeam Irradiation in Cultured Organs of Corti from Embryonic and Neonatal Mice  
*M.W. Kelley, D.P. Talreja, and J.T. Corwin*
- 3027 The Role of Heparin-Binding Growth-Associated Molecule (HB-GAM) in the Postsynaptic Induction in Cultured Muscle Cells  
*H.B. Peng, A.A. Ali, Z. Dai, D.F. Daggett, E. Raulo, and H. Rauvala*
- 3039 Maturation-Dependent Upregulation of Growth-Promoting Molecules in Developing Cortical Plate Controls Thalamic and Cortical Neurite Growth  
*R. Tuttle, B.L. Schlaggar, J.E. Braisted, and D.D.M. O'Leary*
- 3053 The Activation of Protein Kinase A Pathway Selectively Inhibits Anterograde Axonal Transport of Vesicles but Not Mitochondria Transport or Retrograde Transport *in vivo*  
*Y. Okada, R. Sato-Yoshitake, and N. Hirokawa*
- 3065 Putative Pre- and Postsynaptic ATP-Sensitive Potassium Channels in the Rat Substantia Nigra *in vitro*  
*A.E. Watts, G.A. Hicks, and G. Henderson*

- 3075 A Novel Metabotropic Glutamate Receptor Expressed in the Retina and Olfactory Bulb  
*R.M. Duvoisin, C. Zhang, and K. Ramonell*
- 3084 Differential Effects of NGF and BDNF on Voltage-Gated Calcium Currents in Embryonic Basal Forebrain Neurons  
*E.S. Levine, C.F. Dreyfus, I.B. Black, and M.R. Plummer*
- 3092 GABA<sub>A</sub> Receptor-Mediated Inhibition of Rat Substantia Nigra Dopaminergic Neurons by Pars Reticulata Projection Neurons  
*J.M. Tepper, L.P. Martin, and D.R. Anderson*
- 3104 cGMP Inhibits L-Type Ca<sup>2+</sup> Channel Currents Through Protein Phosphorylation in Rat Pinealocytes  
*C.L. Chik, Q.-Y. Liu, B. Li, E. Karpinski, and A.K. Ho*
- 3110 Selective Increase in T-Type Calcium Conductance of Reticular Thalamic Neurons in a Rat Model of Absence Epilepsy  
*E. Tsakiridou, L. Bertolini, M. de Curtis, G. Avanzini, and H.-C. Pape*
- 3118 The Transfer of Rats from a Familiar to a Novel Environment Prolongs the Increase of Extracellular Dopamine Efflux Induced by CCK8 in the Posterior Nucleus Accumbens  
*N. Ladurelle, B.P. Roques, and V. Daugé*
- 3128 Survival of Newly Postmitotic Motoneurons Is Transiently Independent of Exogenous Trophic Support  
*C. Mettling, A. Gouin, M. Robinson, H. El M'Hamdi, W. Camu, E. Bloch-Gallego, B. Buisson, H. Tanaka, A.M. Davies, and C.E. Henderson*
- 3138 Recordings from Slices Indicate that Octopus Cells of the Cochlear Nucleus Detect Coincident Firing of Auditory Nerve Fibers with Temporal Precision  
*N.L. Golding, D. Robertson, and D. Oertel*
- 3154 Antinociception Produced by an Ascending Spino-Supraspinal Pathway  
*R.W. Gear and J.D. Levine*
- 3162 Ethanol Inhibits Kainate Responses of Glutamate Receptors Expressed in *Xenopus* Oocytes: Role of Calcium and Protein Kinase C  
*J.E. Dildy-Mayfield and R.A. Harris*
- 3172 TOPA Quinone, a Kainate-like Agonist and Excitotoxin, Is Generated by a Catecholaminergic Cell Line  
*T.A. Newcomer, P.A. Rosenberg, and E. Aizenman*
- 3178 Presynaptic Influence on the Time Course of Fast Excitatory Synaptic Currents in Cultured Hippocampal Cells  
*S. Mennerick and C.F. Zorumski*
- 3193 Entorhinal-Hippocampal Connections and Object Memory in the Rat: Acquisition versus Retention  
*N. Vnek, T.C. Gleason, L.F. Kromer, and L.A. Rothblat*
- 3200 Excitotoxic Activation of the NMDA Receptor Results in Inhibition of Calcium/Calmodulin Kinase II Activity in Cultured Hippocampal Neurons  
*S.B. Churn, D. Limbrick, S. Sombati, and R.J. DeLorenzo*

**Cover picture:** Fluorescence (pseudocolor) images of a rat retinal bipolar cell before (*left*) and after (*right*) stimulation with 40 mM potassium. The bipolar cell was loaded with the membrane-permeant calcium indicator fluo-3/AM, and the images were acquired with a confocal laser scanning microscope (NORAN). High potassium evoked a sustained increase in  $[Ca^{2+}]_i$  at bipolar cell terminals. See Pan and Lipton, pp. 2668–2679.

Persons interested in becoming members of the Society for Neuroscience should address inquiries to the Society for Neuroscience, 11 Dupont Circle, N.W., Suite 500, Washington, D.C. 20036 (202-462-6688).

Instructions for Authors appear at the end of the February 1995 issue. Copies of the Instructions can be obtained by writing to Diane M. Sullenberger, *The Journal of Neuroscience*, Society for Neuroscience, 11 Dupont Circle, N.W., Suite 500, Washington, D.C. 20036 (202-462-6688; fax 202-462-1547; e-mail jn@sfn.org). Submissions should be sent to the above address. Scientific inquiries concerning manuscripts can be made directly to Dr. David C. Van Essen, Editor-in-Chief, *The Journal of Neuroscience*, Department of Anatomy & Neurobiology, Washington University School of Medicine, 660 South Euclid Avenue, St. Louis, MO 63110 (314-362-2721; fax 314-362-2734; e-mail JNEUROSCI@THALAMUS.WUSTL.EDU).

*The Journal of Neuroscience* requests that authors send a disk containing an electronic file of their manuscript with each submission. Most word processing software can be used; see the Instructions for Authors for detailed guidelines on acceptable disk and file formats.