The Journal of Neuroscience

May 26, 2010 • Volume 30 Number 21 • www.jneurosci.org

Cover legend: Pseudocolored maximal projection overlay of several confocal images of cultured mouse hippocampal neurons fluorescently labeled with antibodies against microtubule-associated protein (MAP2) (green) and against synapsins (yellow). These cultures have been used to uncover progressive degeneration of GABAergic synapses in knock-out mice lacking cysteine string protein-α. For more information, see the article by García-Junco-Clemente et al. in this issue (pages 7377–7391).

Pandey et al. (2008), the same photomicrograph was presented to document Arc mRNA-positive cells in aCSF and Arc sense (12 h postinfusion) treatments. Corrected versions of these panels are printed in this issue. The authors regret these oversights.

Persons interested in becoming members of the Society for Neuroscience should contact the Membership Department, Society for Neuroscience, 1121 14th St., NW, Suite 1010, Washington, DC 20005, phone 202-962-4000.

Instructions for Authors are available at http://www.jneurosci.org/misc/itoa.shtml. Authors should refer to these Instructions online for recent changes that are made periodically.

Brief Communications Instructions for Authors are available via Internet (http://www.jneurosci.org/misc/ifa_bc.shtml).

Submissions should be submitted online using the following url: http://jneurosci.msubmit.net. Please contact the Central Office, via phone, fax, or e-mail with any questions. Our contact information is as follows: phone, 202-962-4000; fax, 202-962-4945; e-mail, jn@sfn.org.